

04113 RF 94

States Government

4D115  
Nov 4 2 18 PM '94

Department of Energy

Rocky Flats Field Office

DUE  
DATE

# Memorandum

ACTION

NOV 03 1994

EG&G  
ROCKY FLATS PLANT  
CORRESPONDENCE CONTROL

110894-3

DIST.	LTR	ENC
BURLINGAME, A.H.		
BUSBY, W.S.		
CARNIVAL, G.J.		
CORDOVA, R.C.		
DAVIS, J.G.		
FERRERA, D.W.		
FRAY, R.E.		
GEIS, J.A.		
GLOVER, W.S.		
GOLAN, P.M.		
HANNI, B.J.		
HEALY, T.J.		
HEDAHL, T.G.		
HILBIG, J.G.		
HUTCHINS, N.M.		
JACKSON, D.T.		
KELL, R.E.		
KUESTER, A.W.		
MARX, G.E.		
MCDONALD, M.M.		
McKENNA, F.G.		
MORGAN, R.V.		
PIZZUTO, V.M.		
POTTER, G.L.		
SANDLIN, N.B.		
SATTERWHITE, D.G.		
SCHUBERT, A.L.		
SCHWARTZ, J.K.		
SETLOCK, G.H.		
STIGER, S.G.	X	
TOBIN, P.M.		
VOORHEIS, G.M.		
WILSON, J.M.		
Schubbe, D.	X	
Floyd, D.	X	
Ray, R.	X	
Hollowell, L.	X	

ER:WNF:11010

Operable Unit No. 15, Individual Hazardous Substance Site 204, The Original Uranium Chip Roaster

Leanne Smith, Assistant Manager for Operations and Waste Management

A great deal of confusion currently exists relative to the future requirement for The Original Uranium (U) Chip Roaster, Individual Hazardous Substance Site (IHSS) 204, a RCRA permitted treatment unit (Unit 45), located in Rooms 32 and 502 of Building 447.

Conversations with various Department of Energy and M&O contractor personnel have indicated that anywhere from three to twenty-one barrels of Depleted Uranium metal cuttings may remain at Rocky Flats Environmental Technology Site to be converted into the more stable U oxide chip form; however, no confirmation of this can be obtained.

Since the future use for the Original U Chip Roaster directly affects the manner in which this IHSS will be handled with respect to the closure of Operable Unit No. 15, it is requested that a determination be made relative to the need for the Original U Chip Roaster as a treatment unit and this determination communicated to Environmental Restoration as soon as practicable.

Thank you for your assistance, and if you have any questions or require additional information, please contact Dr. W. N. Fitch of my staff at telephone extension 4013.

*Jessie Roberson*  
Jessie Roberson  
Assistant Manager for  
Environmental Restoration



000046795

CORRES. CONTROL	X	X
ADMN RECORD/080		
PATS/T130G		

Reviewed for Addressee  
Corres. Control RFP

11-4-94  
DATE BY

Ref Ltr. #

DOE ORDER # 4700.1

cc:  
F. Lockhart, ER, RFFO  
W. Fitch, ER, RFFO  
D. Floyd, MSC  
S. Stiger, EG&G  
D. Schubbe, EG&G  
R. Ray, EG&G

NOV 1994  
RECEIVED

11000	
11100	
11200	Peterman
11300	
11400	
11500	
11600	
11700	